



GF Instaflex flange adapter d50

1152090

- Suitable for flange or union nut



About GF Instaflex flange adapter

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas



- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex flange adapter d50

1152090



Product code

Item no EAN	7611205837693
Item no GF	761066635
Item no GTIN	07611205837693
Item no RSK	1874865

Dimensions

Item Unit Height	73
Item Unit Length	73
Item Unit Weight	0,039
Item Unit Width	30
Item_UOM	pce

Measurements

LENGTH_L	30
Z	5

Packaging

Packaging GTIN PL1	06414900132145
Packaging GTIN PL4	06414900132152
Packaging Height PL1	85
Packaging Height PL4	950
Packaging Length PL1	195
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL4	2700
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,003066375
Packaging Volume PL4	0,912
Packaging Weight PL1	0,398

Packaging Weight PL4	132,46
Packaging Width PL1	185
Packaging Width PL4	800

Technical documents

[Download documents here](#) 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb