


GF Instaflex socket Socket Fusion d50

1152117

- PN 16 at 20°C



About GF Instaflex socket Socket Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex socket Socket Fusion d50

1152117



Product code

Item no EAN	7611205837525
Item no GF	761066665
Item no GTIN	07611205837525
Item no RSK	1874738

Dimensions

Item Unit Height	64
Item Unit Length	54
Item Unit Weight	0,068
Item Unit Width	64
Item_UOM	pce

Measurements

LENGTH_L	54
Z	4

Packaging

Packaging GTIN PL1	06414900132206
Packaging GTIN PL4	06414900132213
Packaging Height PL1	72
Packaging Height PL4	950
Packaging Length PL1	260
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL4	1800
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00320112
Packaging Volume PL4	0,912
Packaging Weight PL1	0,695045848702616

Packaging Weight PL4	150,108252766471
Packaging Width PL1	171
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb