Product data sheet





GF Instaflex socket 63

1152118

- PN 16 at 20°C







About GF Instaflex socket

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety.
- The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes,
multi-family residfential buildings, healthcare, eduacation,
industrial, or commercial building

Application areas
- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines


Certification


- WRAS material approval (BS6920)

GF Instaflex socket 63

1152118







Product code

Item no EAN	7611205823078
Item no GF	761066666
Item no GTIN	07611205823078
Item no RSK	1874739

Dimensions

Item Unit Height	83
Item Unit Length	61
Item Unit Weight	0,12
Item Unit Width	79
Item_UOM	pce

Measurements

LENGTH_L	60
Z Measurement d	81
Z Measurement L	60
Z	4

Packaging

Packaging GTIN PL1	06414900132541
Packaging GTIN PL4	06414900132558
Packaging Height PL1	79
Packaging Height PL4	950
Packaging Length PL1	196
Packaging Length PL4	1200
Packaging Quantity PL1	2
Packaging Quantity PL4	1080
Packaging Type PL1	Plastic_Bag

Packaging Type PL4	Pallet
Packaging Volume PL1	0,001300656
Packaging Volume PL4	0,912
Packaging Weight PL1	0,245
Packaging Weight PL4	144,3
Packaging Width PL1	84
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+