Product data sheet





GF Instaflex socket 110

1152121

- PN 16 at 20°C







About GF Instaflex socket

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety.
- The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes,
multi-family residfential buildings, healthcare, eduacation,
industrial, or commercial building

Application areas
- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines


Certification


- WRAS material approval (BS6920)

GF Instaflex socket 110

1152121







Product code

Item no EAN	7611205823085
Item no GF	761066669
Item no GTIN	07611205823085
Item no RSK	1874742

Dimensions

Item Unit Height	94
Item Unit Length	133
Item Unit Weight	0,417
Item Unit Width	133
Item_UOM	pce

Measurements

LENGTH_L	94
Z Measurement d	133
Z Measurement L	94
Z	10

Packaging

Packaging GTIN PL1	06414900064835
Packaging Height PL1	148
Packaging Length PL1	212
Packaging Quantity PL1	2
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,004643648
Packaging Weight PL1	0,845
Packaging Width PL1	148

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+