



GF Instaflex reduction bush Socket Fusion d25-20

1152124

- Made of Polybuten



About GF Instaflex reduction bush Socket Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex reduction bush Socket Fusion d25-20

1152124



Measurements

Inner_diameter_di	25
LENGTH_L	33
Z Measurement d	20
Z Measurement d1	25
Z	18

Product code

Item no EAN	7611205819002
Item no GF	761066672
Item no GTIN	07611205819002
Item no RSK	1874745

Dimensions

Item Unit Height	30
Item Unit Length	40
Item Unit Weight	0,015
Item Unit Width	30
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900064866
Packaging Height PL1	32
Packaging Length PL1	50
Packaging Quantity PL1	10
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,00024
Packaging Weight PL1	0,16
Packaging Width PL1	150

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com