



GF Instaflex reduction bush Socket Fusion d50-20

1152130

- Made of Polybuten



About GF Instaflex reduction bush Socket Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex reduction bush Socket Fusion d50-20

1152130



Measurements

Inner_diameter_di	50
LENGTH_L	55
Z Measurement d	20
Z Measurement d1	50
Z	40

Product code

Item no EAN	7611205819040
Item no GF	761066681
Item no GTIN	07611205819040
Item no RSK	1874751

Dimensions

Item Unit Height	49
Item Unit Length	54
Item Unit Weight	0,035
Item Unit Width	49
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900133081
Packaging GTIN PL4	06414900133098
Packaging Height PL1	64
Packaging Height PL4	904
Packaging Length PL1	230
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL4	3600
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet

Packaging Volume PL1	0,00239936
Packaging Volume PL4	0,86784
Packaging Weight PL1	0,4
Packaging Weight PL4	156
Packaging Width PL1	163
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com