



## GF Instaflex reduction bush Socket Fusion d50-32

1152132

- Made of Polybuten



### About GF Instaflex reduction bush Socket Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex reduction bush Socket Fusion d50-32

1152132



### Measurements

Inner_diameter_di	50
LENGTH_L	55
Z Measurement d	32
Z Measurement d1	50
Z	35

### Product code

Item no EAN	7611205823122
Item no GF	761066683
Item no GTIN	07611205823122
Item no RSK	1874753

### Dimensions

Item Unit Height	50
Item Unit Length	60
Item Unit Weight	0,042
Item Unit Width	50
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900132503
Packaging GTIN PL4	06414900132510
Packaging Height PL1	52
Packaging Height PL4	904
Packaging Length PL1	70
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL4	3600
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet

Packaging Volume PL1	0,00091
Packaging Volume PL4	0,86784
Packaging Weight PL1	0,43
Packaging Weight PL4	167
Packaging Width PL1	250
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com