


GF Instaflex reduction bush Socket Fusion d50-40

1152133

- Made of Polybuten



About GF Instaflex reduction bush Socket Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex reduction bush Socket Fusion d50-40

1152133



Measurements

Inner_diameter_di	50
LENGTH_L	55
Z Measurement d	40
Z Measurement d1	50
Z	33

Product code

Item no EAN	7611205819064
Item no GF	761066684
Item no GTIN	07611205819064
Item no RSK	1874754

Dimensions

Item Unit Height	52
Item Unit Length	55
Item Unit Weight	0,05
Item Unit Width	52
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900133067
Packaging GTIN PL4	06414900133074
Packaging Height PL1	55
Packaging Height PL4	950
Packaging Length PL1	205
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL4	2700
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet

Packaging Volume PL1	0,001860375
Packaging Volume PL4	0,912
Packaging Weight PL1	0,55
Packaging Weight PL4	159
Packaging Width PL1	165
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com