


## GF Instaflex reduction bush Socket Fusion d63-25

1152135

- Made of Polybuten



### About GF Instaflex reduction bush Socket Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex reduction bush Socket Fusion d63-25

1152135



### Measurements

Inner_diameter_di	63
LENGTH_L	58
Z Measurement d	25
Z Measurement d1	63
Z	40

### Product code

Item no EAN	7611205837686
Item no GF	761066687
Item no GTIN	07611205837686
Item no RSK	1874756

### Dimensions

Item Unit Height	60
Item Unit Length	60
Item Unit Weight	0,06
Item Unit Width	60
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900132169
Packaging GTIN PL4	06414900132176
Packaging Height PL1	110
Packaging Height PL4	950
Packaging Length PL1	160
Packaging Length PL4	1200
Packaging Quantity PL1	5
Packaging Quantity PL4	2700
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet

Packaging Volume PL1	0,001936
Packaging Volume PL4	0,912
Packaging Weight PL1	0,305
Packaging Weight PL4	174
Packaging Width PL1	110
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com