


GF Instaflex reduction bush Socket Fusion d90-75

1152150

- PN 16 at 20°C



About GF Instaflex reduction bush Socket Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex reduction bush Socket Fusion d90-75

1152150



Measurements

Inner_diameter_di	90
LENGTH_L	74
Z	43

Product code

Item no EAN	7611205819378
Item no GF	761066745
Item no GTIN	07611205819378
Item no RSK	1874762

Dimensions

Item Unit Height	90
Item Unit Length	73
Item Unit Weight	0,16
Item Unit Width	90
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900133029
Packaging GTIN PL4	06414900133036
Packaging Height PL1	73
Packaging Height PL4	950
Packaging Length PL1	180
Packaging Length PL4	1200
Packaging Quantity PL1	2
Packaging Quantity PL4	768
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0011826
Packaging Volume PL4	0,912

Packaging Weight PL1	0,34
Packaging Weight PL4	156
Packaging Width PL1	90
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb