



GF Instaflex reduction bush Socket Fusion d90-63

1152151

- PN 16 at 20°C



About GF Instaflex reduction bush Socket Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex reduction bush Socket Fusion d90-63

1152151



Measurements

Inner_diameter_di	90
LENGTH_L	74
Z Measurement d	63
Z Measurement d1	90
Z	46

Product code

Item no EAN	7611205823276
Item no GF	761066746
Item no GTIN	07611205823276
Item no RSK	1874761

Dimensions

Item Unit Height	74
Item Unit Length	90
Item Unit Weight	0,15
Item Unit Width	89
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900132466
Packaging GTIN PL4	06414900132473
Packaging Height PL1	94
Packaging Height PL4	950
Packaging Length PL1	198
Packaging Length PL4	1200
Packaging Quantity PL1	2
Packaging Quantity PL4	736
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet

Packaging Volume PL1	0,00204732
Packaging Volume PL4	0,912
Packaging Weight PL1	0,311
Packaging Weight PL4	138
Packaging Width PL1	110
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com