



GF Instaflex reduction bush Socket Fusion d110-63

1152152

- PN 16 at 20°C



About GF Instaflex reduction bush Socket Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex reduction bush Socket Fusion d110-63

1152152



Measurements

Inner_diameter_di	110
LENGTH_L	86
Z	58

Product code

Item no EAN	7611205819385
Item no GF	761066747
Item no GTIN	07611205819385
Item no RSK	1874763

Dimensions

Item Unit Height	87
Item Unit Length	111
Item Unit Weight	0,229
Item Unit Width	110
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900133005
Packaging GTIN PL4	06414900133012
Packaging Height PL1	100
Packaging Height PL4	950
Packaging Length PL1	234
Packaging Length PL4	1200
Packaging Quantity PL1	2
Packaging Quantity PL4	432
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,002691
Packaging Volume PL4	0,912

Packaging Weight PL1	0,471
Packaging Weight PL4	126
Packaging Width PL1	115
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb