



## GF Instaflex reduction bush Socket Fusion d110-63

**1152152**

- PN 16 at 20°C



### About GF Instaflex reduction bush Socket Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex reduction bush Socket Fusion d110-63

1152152



### Measurements

Inner_diameter_di	110
LENGTH_L	86
Z Measurement d	63
Z Measurement d1	110
Z	58

### Product code

Item no EAN	7611205819385
Item no GF	761066747
Item no GTIN	07611205819385
Item no RSK	1874763

### Dimensions

Item Unit Height	87
Item Unit Length	111
Item Unit Weight	0,229
Item Unit Width	110
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900133005
Packaging GTIN PL4	06414900133012
Packaging Height PL1	100
Packaging Height PL4	950
Packaging Length PL1	234
Packaging Length PL4	1200
Packaging Quantity PL1	2
Packaging Quantity PL4	432
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet

Packaging Volume PL1	0,002691
Packaging Volume PL4	0,912
Packaging Weight PL1	0,471
Packaging Weight PL4	126
Packaging Width PL1	115
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com