



## GF Instaflex reduction bush Socket Fusion d110-90

**1152153**

- PN 16 at 20°C



### About GF Instaflex reduction bush Socket Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex reduction bush Socket Fusion d110-90

1152153



### Measurements

Inner_diameter_di	110
LENGTH_L	86
Z Measurement d	90
Z Measurement d1	110
Z	50

### Product code

Item no EAN	7611205819392
Item no GF	761066748
Item no GTIN	07611205819392
Item no RSK	1874765

### Dimensions

Item Unit Height	120
Item Unit Length	100
Item Unit Weight	0,27
Item Unit Width	120
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900132985
Packaging GTIN PL4	06414900132992
Packaging Height PL1	240
Packaging Height PL4	950
Packaging Length PL1	110
Packaging Length PL4	1200
Packaging Quantity PL1	2
Packaging Quantity PL4	432
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet

Packaging Volume PL1	0,003168
Packaging Volume PL4	0,912
Packaging Weight PL1	0,55
Packaging Weight PL4	141
Packaging Width PL1	120
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com