

## GF Instaflex weld-in-saddle Socket Fusion 40-20

1152227

- \* on request



### About GF Instaflex weld-in-saddle Socket Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex weld-in-saddle Socket Fusion 40-20

1152227



### Product code

Item no EAN	7611205899301
Item no GF	761068000
Item no GTIN	07611205899301

### Dimensions

Item Unit Height	50
Item Unit Length	50
Item Unit Weight	0,011
Item Unit Width	50
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900131827
Packaging GTIN PL4	06414900131834
Packaging Height PL1	150
Packaging Height PL4	950
Packaging Length PL1	50
Packaging Length PL4	1200
Packaging Quantity PL1	5
Packaging Quantity PL4	7200
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00075
Packaging Volume PL4	0,912
Packaging Weight PL1	0,063
Packaging Weight PL4	113
Packaging Width PL1	100
Packaging Width PL4	800

### Measurements

Z Measurement d1	40 - 20
Z Measurement h1	15
Z	11

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com