


GF Instaflex weld-in-saddle Socket Fusion 75-32

1152236

- * on request



About GF Instaflex weld-in-saddle Socket Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex weld-in-saddle Socket Fusion 75-32

1152236



Product code

Item no EAN	7611205899394
Item no GF	761068011
Item no GTIN	07611205899394

Dimensions

Item Unit Height	41
Item Unit Length	41
Item Unit Weight	0,022
Item Unit Width	41
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900131742
Packaging GTIN PL4	06414900131759
Packaging Height PL1	56
Packaging Height PL4	950
Packaging Length PL1	133
Packaging Length PL4	1200
Packaging Quantity PL1	5
Packaging Quantity PL4	4800
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00078204
Packaging Volume PL4	0,912
Packaging Weight PL1	0,115
Packaging Weight PL4	127
Packaging Width PL1	105
Packaging Width PL4	800

Measurements

Z Measurement d1	75 - 32
Z Measurement h1	20
Z	12

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E

customerservice.uk.bfs@georgfi
scher.com