


GF Instaflex weld-in-saddle Socket Fusion 90-32

1152239

- * on request



About GF Instaflex weld-in-saddle Socket Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex weld-in-saddle Socket Fusion 90-32

1152239



Product code

Item no EAN	7611205899424
Item no GF	761068014
Item no GTIN	07611205899424

Dimensions

Item Unit Height	44
Item Unit Length	44
Item Unit Weight	0,027
Item Unit Width	44
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900131704
Packaging GTIN PL4	06414900131711
Packaging Height PL1	74
Packaging Height PL4	950
Packaging Length PL1	165
Packaging Length PL4	1200
Packaging Quantity PL1	5
Packaging Quantity PL4	4800
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00124542
Packaging Volume PL4	0,912
Packaging Weight PL1	0,143
Packaging Weight PL4	156
Packaging Width PL1	102
Packaging Width PL4	800

Measurements

Z Measurement d1	90 - 32
Z Measurement h1	20
Z	13

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com