


GF Instaflex coupler Electro Fusion d40

1152293

- Suitable as sliding coupling
- PN 16 at 20°C



About GF Instaflex coupler Electro Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex coupler Electro Fusion d40

1152293



Product code

Item no EAN	7611205820114
Item no GF	761069204
Item no GTIN	07611205820114
Item no LVI	2075274
Item no RSK	1874539

Dimensions

Item Unit Height	64
Item Unit Length	96
Item Unit Weight	0,084
Item Unit Width	64
Item_UOM	pce

Measurements

LENGTH_L	95
----------	----

Packaging

Packaging GTIN PL1	06414900189934
Packaging GTIN PL2	06414900189941
Packaging GTIN PL4	06414900189958
Packaging Height PL1	64
Packaging Height PL2	310
Packaging Height PL4	970
Packaging Length PL1	97
Packaging Length PL2	427
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	25
Packaging Quantity PL4	900
Packaging Type PL1	Plastic_Bag

Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000397312
Packaging Volume PL2	0,04275551
Packaging Volume PL4	0,9312
Packaging Weight PL1	0,092
Packaging Weight PL2	2,4
Packaging Weight PL4	127
Packaging Width PL1	64
Packaging Width PL2	323
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb