


GF Instaflex adapter d16

1152296

- Transition to socket fusion - HMS
- Material: Polybutene (grey)
- PN 16 at 20°C



About GF Instaflex adapter

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex adapter d16

1152296



Product code

Item no EAN	7611205823641
Item no GF	761069207
Item no GTIN	07611205823641
Item no RSK	1874545

Dimensions

Item Unit Height	60
Item Unit Length	36
Item Unit Weight	0,026
Item Unit Width	40
Item_UOM	pce

Measurements

LENGTH_L	60
Z Measurement d	16
Z Measurement h	23

Packaging

Packaging GTIN PL1	06414900130929
Packaging GTIN PL2	06414900130936
Packaging GTIN PL4	06414900130943
Packaging Height PL1	36
Packaging Height PL2	220
Packaging Height PL4	950
Packaging Length PL1	60
Packaging Length PL2	35
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	100
Packaging Quantity PL4	4800

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0000864
Packaging Volume PL2	0,001232
Packaging Volume PL4	0,912
Packaging Weight PL1	0,036
Packaging Weight PL2	3,7
Packaging Weight PL4	202,6
Packaging Width PL1	40
Packaging Width PL2	160
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com