


GF Instaflex adapter d32

1152299

- Transition to socket fusion - HMS
- Material: Polybutene (grey)
- PN 16 at 20°C



About GF Instaflex adapter

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex adapter d32

1152299



Product code

Item no EAN	7611205823658
Item no GF	761069210
Item no GTIN	07611205823658
Item no RSK	1874548

Dimensions

Item Unit Height	56
Item Unit Length	71
Item Unit Weight	0,037
Item Unit Width	54
Item_UOM	pce

Measurements

LENGTH_L	71
Z Measurement d	32
Z Measurement h	29

Packaging

Packaging GTIN PL1	06414900130899
Packaging GTIN PL2	06414900130905
Packaging GTIN PL4	06414900130912
Packaging Height PL1	56
Packaging Height PL2	210
Packaging Height PL4	950
Packaging Length PL1	71
Packaging Length PL2	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	50
Packaging Quantity PL4	1800

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000214704
Packaging Volume PL2	0,02184
Packaging Volume PL4	0,912
Packaging Weight PL1	0,042
Packaging Weight PL2	2,4
Packaging Weight PL4	98
Packaging Width PL1	54
Packaging Width PL2	260
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com