


GF Instaflex adapter d50

1152301

- Transition to socket fusion - HMS
- Material: Polybutene (grey)
- PN 16 at 20°C



About GF Instaflex adapter

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex adapter d50

1152301



Product code

Item no EAN	7611205820152
Item no GF	761069212
Item no GTIN	07611205820152
Item no RSK	1874550

Dimensions

Item Unit Height	79
Item Unit Length	151
Item Unit Weight	0,095
Item Unit Width	74
Item_UOM	pce

Measurements

LENGTH_L	85
Z Measurement d	50
Z Measurement h	36

Packaging

Packaging GTIN PL1	06414900189804
Packaging GTIN PL2	06414900189811
Packaging GTIN PL4	06414900189828
Packaging Height PL1	79
Packaging Height PL2	308
Packaging Height PL4	970
Packaging Length PL1	151
Packaging Length PL2	408
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	20
Packaging Quantity PL4	720

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000882746
Packaging Volume PL2	0,040589472
Packaging Volume PL4	0,9312
Packaging Weight PL1	0,103
Packaging Weight PL2	2,3
Packaging Weight PL4	114
Packaging Width PL1	74
Packaging Width PL2	323
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com