



## GF Instaflex elbow 90° Electro Fusion d16

**1152303**

- Material: PB
- Operation pressure: 16 bars
- PN 16 at 20°C



### About GF Instaflex elbow 90° Electro Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex elbow 90° Electro Fusion d16

1152303



### Product code

Item no EAN	7611205820404
Item no GF	761069214
Item no GTIN	07611205820404
Item no LVI	2075374
Item no RSK	1874636

### Dimensions

Item Unit Height	39
Item Unit Length	65
Item Unit Weight	0,023
Item Unit Width	64
Item_UOM	pce

### Measurements

LENGTH_L	47
Z Measurement d	16
Z	10

### Packaging

Packaging GTIN PL1	06414900189712
Packaging GTIN PL2	06414900189729
Packaging GTIN PL4	06414900189736
Packaging Height PL1	39
Packaging Height PL2	318
Packaging Height PL4	950
Packaging Length PL1	64
Packaging Length PL2	406
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	100

Packaging Quantity PL4	2700
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000167232
Packaging Volume PL2	0,04066902
Packaging Volume PL4	0,912
Packaging Weight PL1	0,031
Packaging Weight PL2	3,3
Packaging Weight PL4	101
Packaging Width PL1	67
Packaging Width PL2	315
Packaging Width PL4	800

## Technical documents

[Download documents here](#) 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com