



## GF Instaflex elbow 90° Electro Fusion d63

**1152309**

- Material: PB
- Operation pressure: 16 bars
- PN 16 at 20°C



### About GF Instaflex elbow 90° Electro Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex elbow 90° Electro Fusion d63

1152309



### Product code

Item no EAN	7611205820435
Item no GF	761069220
Item no GTIN	07611205820435
Item no LVI	2075279
Item no RSK	1874642

### Dimensions

Item Unit Height	94
Item Unit Length	177
Item Unit Weight	0,328
Item Unit Width	120
Item_UOM	pce

### Measurements

LENGTH_L	86
Z Measurement d	63
Z	36

### Packaging

Packaging GTIN PL1	06414900189620
Packaging GTIN PL2	06414900189637
Packaging GTIN PL4	06414900189644
Packaging Height PL1	94
Packaging Height PL2	280
Packaging Height PL4	930
Packaging Length PL1	177
Packaging Length PL2	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	10

Packaging Quantity PL4	270
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00199656
Packaging Volume PL2	0,03024
Packaging Volume PL4	0,8928
Packaging Weight PL1	0,38
Packaging Weight PL2	4,15
Packaging Weight PL4	112
Packaging Width PL1	120
Packaging Width PL2	270
Packaging Width PL4	800

## Technical documents

[Download documents here](#) 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com