


GF Instaflex elbow 45deg Electro Fusion d40

1152317

- PN 16 at 20°C



About GF Instaflex elbow 45deg Electro Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex elbow 45deg Electro Fusion d40

1152317



Product code

Item no EAN	7611205823719
Item no GF	761069231
Item no GTIN	07611205823719
Item no LVI	2075283
Item no RSK	1874657

Dimensions

Item Unit Height	64
Item Unit Length	127
Item Unit Weight	0,07
Item Unit Width	72
Item_UOM	pce

Measurements

LENGTH_L	58
Z	11

Packaging

Packaging GTIN PL1	06414900130714
Packaging GTIN PL2	06414900130721
Packaging GTIN PL4	06414900130738
Packaging Height PL1	64
Packaging Height PL2	305
Packaging Height PL4	970
Packaging Length PL1	127
Packaging Length PL2	407
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	20
Packaging Quantity PL4	720

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000585216
Packaging Volume PL2	0,03947493
Packaging Volume PL4	0,9312
Packaging Weight PL1	0,078
Packaging Weight PL2	1,8
Packaging Weight PL4	118
Packaging Width PL1	72
Packaging Width PL2	318
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb