


GF Instaflex elbow 45deg Electro Fusion d75

1152320

- PN 16 at 20°C



About GF Instaflex elbow 45deg Electro Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex elbow 45deg Electro Fusion d75

1152320



Product code

Item no EAN	7611205823726
Item no GF	761069234
Item no GTIN	07611205823726
Item no LVI	2075286
Item no RSK	1874660

Dimensions

Item Unit Height	105
Item Unit Length	210
Item Unit Weight	0,451
Item Unit Width	130
Item_UOM	pce

Measurements

LENGTH_L	88
Z	21

Packaging

Packaging GTIN PL1	06414900130684
Packaging GTIN PL2	06414900130691
Packaging GTIN PL4	06414900130707
Packaging Height PL1	105
Packaging Height PL2	420
Packaging Height PL4	1000
Packaging Length PL1	210
Packaging Length PL2	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	12
Packaging Quantity PL4	216

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0028665
Packaging Volume PL2	0,042588
Packaging Volume PL4	0,96
Packaging Weight PL1	0,461
Packaging Weight PL2	5,632
Packaging Weight PL4	126,376
Packaging Width PL1	130
Packaging Width PL2	260
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb