


GF Instaflex tee equal 90° Electro Fusion d25

1152325

- PN 16 at 20°C



About GF Instaflex tee equal 90° Electro Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex tee equal 90° Electro Fusion d25

1152325



Product code

Item no EAN	7611205823740
Item no GF	761069239
Item no GTIN	07611205823740
Item no LVI	2075383
Item no RSK	1874672

Dimensions

Item Unit Height	50
Item Unit Length	120
Item Unit Weight	0,089
Item Unit Width	100
Item_UOM	pce

Measurements

LENGTH_L	58
Z	16

Packaging

Packaging GTIN PL1	06414900130622
Packaging GTIN PL2	06414900130639
Packaging GTIN PL4	06414900130646
Packaging Height PL1	50
Packaging Height PL2	290
Packaging Height PL4	970
Packaging Length PL1	120
Packaging Length PL2	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	25
Packaging Quantity PL4	900

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0006
Packaging Volume PL2	0,03393
Packaging Volume PL4	0,9312
Packaging Weight PL1	0,094
Packaging Weight PL2	2,4
Packaging Weight PL4	110
Packaging Width PL1	100
Packaging Width PL2	300
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb