


GF Instaflex tee equal 90deg Electro Fusion d50

1152328

- PN 16 at 20°C



About GF Instaflex tee equal 90deg Electro Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex tee equal 90deg Electro Fusion d50

1152328



Product code

Item no EAN	7611205823757
Item no GF	761069242
Item no GTIN	07611205823757
Item no LVI	2075290
Item no RSK	1874675

Dimensions

Item Unit Height	79
Item Unit Length	155
Item Unit Weight	0,29
Item Unit Width	115
Item_UOM	pce

Measurements

LENGTH_L	78
Z	29

Packaging

Packaging GTIN PL1	06414900130592
Packaging GTIN PL2	06414900130608
Packaging GTIN PL4	06414900130615
Packaging Height PL1	79
Packaging Height PL2	280
Packaging Height PL4	930
Packaging Length PL1	156
Packaging Length PL2	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	12
Packaging Quantity PL4	324

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00141726
Packaging Volume PL2	0,03024
Packaging Volume PL4	0,8928
Packaging Weight PL1	0,298
Packaging Weight PL2	3,65
Packaging Weight PL4	124
Packaging Width PL1	115
Packaging Width PL2	270
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb