


GF Instaflex tee equal 90deg Electro Fusion d63

1152329

- PN 16 at 20°C



About GF Instaflex tee equal 90deg Electro Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex tee equal 90deg Electro Fusion d63

1152329



Product code

Item no EAN	7611205820541
Item no GF	761069243
Item no GTIN	07611205820541
Item no LVI	2075291
Item no RSK	1874676

Dimensions

Item Unit Height	94
Item Unit Length	171
Item Unit Weight	0,452
Item Unit Width	133
Item_UOM	pce

Measurements

LENGTH_L	86
Z	36

Packaging

Packaging GTIN PL1	06414900189293
Packaging GTIN PL2	06414900189309
Packaging GTIN PL4	06414900189316
Packaging Height PL1	94
Packaging Height PL2	303
Packaging Height PL4	930
Packaging Length PL1	171
Packaging Length PL2	401
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	8
Packaging Quantity PL4	216

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,002137842
Packaging Volume PL2	0,039245469
Packaging Volume PL4	0,8928
Packaging Weight PL1	0,46
Packaging Weight PL2	3,8
Packaging Weight PL4	123
Packaging Width PL1	133
Packaging Width PL2	323
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb