


GF Instaflex tee equal 90deg Electro Fusion d90

1152331

- PN 16 at 20°C



About GF Instaflex tee equal 90deg Electro Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex tee equal 90deg Electro Fusion d90

1152331



Product code

Item no EAN	7611205820565
Item no GF	761069245
Item no GTIN	07611205820565
Item no LVI	2075292
Item no RSK	1874678

Dimensions

Item Unit Height	130
Item Unit Length	260
Item Unit Weight	0,89
Item Unit Width	200
Item_UOM	pce

Measurements

LENGTH_L	127
Z	54

Packaging

Packaging GTIN PL1	06414900189231
Packaging GTIN PL2	06414900189248
Packaging GTIN PL4	06414900189255
Packaging Height PL1	148
Packaging Height PL2	427
Packaging Height PL4	970
Packaging Length PL1	287
Packaging Length PL2	399
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	6
Packaging Quantity PL4	108

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,009174816
Packaging Volume PL2	0,046852575
Packaging Volume PL4	0,9312
Packaging Weight PL1	1,171
Packaging Weight PL2	7,387
Packaging Weight PL4	152
Packaging Width PL1	216
Packaging Width PL2	275
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb