


## GF Instaflex tee equal 90° Electro Fusion d110

**1152332**

- PN 16 at 20°C



### About GF Instaflex tee equal 90° Electro Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex tee equal 90° Electro Fusion d110

1152332



### Product code

Item no EAN	7611205823764
Item no GF	761069246
Item no GTIN	07611205823764
Item no LVI	2075293
Item no RSK	1874679

### Dimensions

Item Unit Height	160
Item Unit Length	295
Item Unit Weight	1,884
Item Unit Width	235
Item_UOM	pce

### Measurements

LENGTH_L	146
Z Measurement d	110
Z	66

### Packaging

Packaging GTIN PL1	06414900455343
Packaging GTIN PL2	06414900455350
Packaging Height PL1	160
Packaging Height PL2	255
Packaging Length PL1	295
Packaging Length PL2	585
Packaging Quantity PL1	1
Packaging Quantity PL2	4
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,011092

Packaging Volume PL2	0,061907625
Packaging Weight PL1	1,894
Packaging Weight PL2	7,676
Packaging Width PL1	235
Packaging Width PL2	415

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com