


GF Instaflex tee reduced 90° Electro Fusion 20-16 20

1152334

- Made of Polybuten
- Electrofusion



About GF Instaflex tee reduced 90° Electro Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex tee reduced 90° Electro Fusion 20-16 20

1152334



Measurements

Inner_diameter_di	20
Length (l2)	49
Length (l3)	54
Z Measurement d1	20
Z Measurement d2	16
Z Measurement d3	20
Z Measurement d3	20
Z Measurement L1	54
z1	14
Z2	11
Z3	14

Product code

Item no EAN	7611205820794
Item no GF	761069250
Item no GTIN	07611205820794
Item no RSK	1874681

Dimensions

Item Unit Height	50
Item Unit Length	120
Item Unit Weight	0,041
Item Unit Width	100
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900188968
Packaging GTIN PL2	06414900188975
Packaging GTIN PL4	06414900188982
Packaging Height PL1	50

Packaging Height PL2	280
Packaging Height PL4	1050
Packaging Length PL1	120
Packaging Length PL2	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	50
Packaging Quantity PL4	1350
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0006
Packaging Volume PL2	0,03024
Packaging Volume PL4	1,008
Packaging Weight PL1	0,046
Packaging Weight PL2	2,25
Packaging Weight PL4	68,7
Packaging Width PL1	100
Packaging Width PL2	270
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com