


## GF Instaflex tee reduced 90° Electro Fusion 25-16 25

**1152335**

- Made of Polybuten
- Electrofusion



### About GF Instaflex tee reduced 90° Electro Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex tee reduced 90° Electro Fusion 25-16 25

1152335



### Measurements

Inner_diameter_di	25
Length (l2)	54
Length (l3)	58
Z Measurement d1	25
Z Measurement d2	16
Z Measurement d3	25
Z Measurement d3	25
Z Measurement L1	58
z1	16
Z2	16
Z3	16

### Product code

Item no EAN	7611205820800
Item no GF	761069251
Item no GTIN	07611205820800
Item no RSK	1874682

### Dimensions

Item Unit Height	46
Item Unit Length	116
Item Unit Weight	0,082
Item Unit Width	77
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900188920
Packaging GTIN PL2	06414900188937
Packaging GTIN PL4	06414900188944
Packaging Height PL1	50

Packaging Height PL2	280
Packaging Height PL4	1050
Packaging Length PL1	120
Packaging Length PL2	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	50
Packaging Quantity PL4	1350
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00048
Packaging Volume PL2	0,03024
Packaging Volume PL4	1,008
Packaging Weight PL1	0,092
Packaging Weight PL2	4,7
Packaging Weight PL4	151,9
Packaging Width PL1	80
Packaging Width PL2	270
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com