


GF Instaflex tee reduced 90° Electro Fusion 25-20 25

1152336

- Made of Polybuten
- Electrofusion



About GF Instaflex tee reduced 90° Electro Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex tee reduced 90° Electro Fusion 25-20 25

1152336



Measurements

Inner_diameter_di	25
Length (l2)	54
Length (l3)	58
Z Measurement d1	25
Z Measurement d2	20
Z Measurement d3	25
Z Measurement d3	25
Z Measurement L1	58
z1	16
Z2	14
Z3	16

Product code

Item no EAN	7611205820817
Item no GF	761069252
Item no GTIN	07611205820817
Item no LVI	2075385
Item no RSK	1874684

Dimensions

Item Unit Height	46
Item Unit Length	115
Item Unit Weight	0,079
Item Unit Width	77
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900188890
Packaging GTIN PL2	06414900188906
Packaging GTIN PL4	06414900188913

Packaging Height PL1	46
Packaging Height PL2	313
Packaging Height PL4	950
Packaging Length PL1	115
Packaging Length PL2	413
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	50
Packaging Quantity PL4	1350
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00040733
Packaging Volume PL2	0,041107542
Packaging Volume PL4	0,912
Packaging Weight PL1	0,086
Packaging Weight PL2	4,3
Packaging Weight PL4	129
Packaging Width PL1	77
Packaging Width PL2	318
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
 WD18 8GA, Watford
 UK

T +44 (0)1923 381212
 E
 customerservice.uk.bfs@georgfi
 scher.com