


## GF Instaflex tee reduced 90° Electro Fusion 32-20 32

1152337

- Made of Polybuten
- Electrofusion



### About GF Instaflex tee reduced 90° Electro Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex tee reduced 90° Electro Fusion 32-20 32

1152337



### Measurements

Inner_diameter_di	32
Length (l2)	58
Length (l3)	60
Z Measurement d1	32
Z Measurement d2	20
Z Measurement d3	32
Z Measurement d3	32
Z Measurement L1	60
z1	18
Z2	18
Z3	18

### Product code

Item no EAN	7611205820824
Item no GF	761069253
Item no GTIN	07611205820824
Item no LVI	2075386
Item no RSK	1874686

### Dimensions

Item Unit Height	54
Item Unit Length	150
Item Unit Weight	0,088
Item Unit Width	87
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900188852
Packaging GTIN PL2	06414900188869
Packaging GTIN PL4	06414900188876

Packaging Height PL1	54
Packaging Height PL2	310
Packaging Height PL4	970
Packaging Length PL1	150
Packaging Length PL2	408
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	25
Packaging Quantity PL4	900
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0007047
Packaging Volume PL2	0,04022064
Packaging Volume PL4	0,9312
Packaging Weight PL1	0,096
Packaging Weight PL2	2,5
Packaging Weight PL4	128
Packaging Width PL1	87
Packaging Width PL2	318
Packaging Width PL4	800

## Technical documents

Download documents here

### Uponor UK

Blackmor Lane The Pavillion  
 WD18 8GA, Watford  
 UK

T +44 (0)1923 381212  
 E  
 customerservice.uk.bfs@georgfi  
 scher.com