


## GF Instaflex tee reducer 90deg Electro Fusion 32-25 32

**1152338**

- Made of Polybuten
- Electrofusion



### About GF Instaflex tee reducer 90deg Electro Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex tee reducer 90deg Electro Fusion 32-25 32

1152338



### Measurements

|                   |    |
|-------------------|----|
| Inner_diameter_di | 32 |
| Length (l2)       | 58 |
| Length (l3)       | 60 |
| Z Measurement d2  | 25 |
| z1                | 18 |
| Z2                | 16 |
| Z3                | 18 |

### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 7611205837631  |
| Item no GF   | 761069254      |
| Item no GTIN | 07611205837631 |
| Item no LVI  | 2075387        |
| Item no RSK  | 1874688        |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 59    |
| Item Unit Length | 138   |
| Item Unit Weight | 0,095 |
| Item Unit Width  | 92    |
| Item_UOM         | pce   |

### Packaging

|                      |                |
|----------------------|----------------|
| Packaging GTIN PL1   | 06414900130400 |
| Packaging GTIN PL2   | 06414900130417 |
| Packaging GTIN PL4   | 06414900130424 |
| Packaging Height PL1 | 59             |
| Packaging Height PL2 | 305            |
| Packaging Height PL4 | 950            |
| Packaging Length PL1 | 139            |

|                        |             |
|------------------------|-------------|
| Packaging Length PL2   | 413         |
| Packaging Length PL4   | 1200        |
| Packaging Quantity PL1 | 1           |
| Packaging Quantity PL2 | 25          |
| Packaging Quantity PL4 | 900         |
| Packaging Type PL1     | Plastic_Bag |
| Packaging Type PL2     | Medium_Box  |
| Packaging Type PL4     | Pallet      |
| Packaging Volume PL1   | 0,000754492 |
| Packaging Volume PL2   | 0,03904915  |
| Packaging Volume PL4   | 0,912       |
| Packaging Weight PL1   | 0,103       |
| Packaging Weight PL2   | 2,7         |
| Packaging Weight PL4   | 110         |
| Packaging Width PL1    | 92          |
| Packaging Width PL2    | 310         |
| Packaging Width PL4    | 800         |

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)