


## GF Instaflex tee reduced 90° Electro Fusion 25-20 20

**1152340**

- Made of Polybuten
- Electrofusion



### About GF Instaflex tee reduced 90° Electro Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex tee reduced 90° Electro Fusion 25-20 20

1152340



### Measurements

Inner_diameter_di	25
Length (l2)	54
Length (l3)	54
Z Measurement d1	25
Z Measurement d2	20
Z Measurement d3	20
Z Measurement d3	20
Z Measurement L1	58
z1	16
Z2	14
Z3	14

### Product code

Item no EAN	7611205813451
Item no GF	761069256
Item no GTIN	07611205813451
Item no LVI	2075388
Item no RSK	1874683

### Dimensions

Item Unit Height	50
Item Unit Length	140
Item Unit Weight	0,079
Item Unit Width	90
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900191166
Packaging GTIN PL2	06414900191173
Packaging GTIN PL4	06414900191180

Packaging Height PL1	60
Packaging Height PL2	280
Packaging Height PL4	1050
Packaging Length PL1	150
Packaging Length PL2	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	50
Packaging Quantity PL4	1350
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0009
Packaging Volume PL2	0,03024
Packaging Volume PL4	1,008
Packaging Weight PL1	0,084
Packaging Weight PL2	4,2
Packaging Weight PL4	125,4
Packaging Width PL1	100
Packaging Width PL2	270
Packaging Width PL4	800

## Technical documents

Download documents here

### Uponor UK

Blackmor Lane The Pavillion  
 WD18 8GA, Watford  
 UK

T +44 (0)1923 381212  
 E  
 customerservice.uk.bfs@georgfi  
 scher.com