


## GF Instaflex tee reducer 90deg Electro Fusion 25-25 20

**1152341**

- Made of Polybuten
- Electrofusion



### About GF Instaflex tee reducer 90deg Electro Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex tee reducer 90deg Electro Fusion 25-25 20

1152341



### Measurements

Inner_diameter_di	25
Length (l2)	58
Length (l3)	54
Z Measurement d2	25
z1	16
Z2	16
Z3	14

### Product code

Item no EAN	7611205813468
Item no GF	761069257
Item no GTIN	07611205813468
Item no RSK	1874685

### Dimensions

Item Unit Height	46
Item Unit Length	113
Item Unit Weight	0,081
Item Unit Width	79
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900191135
Packaging GTIN PL2	06414900191142
Packaging GTIN PL4	06414900191159
Packaging Height PL1	59
Packaging Height PL2	280
Packaging Height PL4	1050
Packaging Length PL1	154
Packaging Length PL2	400

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	50
Packaging Quantity PL4	1350
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000763224
Packaging Volume PL2	0,03024
Packaging Volume PL4	1,008
Packaging Weight PL1	0,089
Packaging Weight PL2	4,8
Packaging Weight PL4	140
Packaging Width PL1	84
Packaging Width PL2	270
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E enquiries.uk@uponor.com

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)