


## GF Instaflex tee reduced 90° Electro Fusion 40-20 40

**1152343**

- Made of Polybuten
- Electrofusion



### About GF Instaflex tee reduced 90° Electro Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex tee reduced 90° Electro Fusion 40-20 40

1152343



### Measurements

Inner_diameter_di	40
Length (l2)	63
Length (l3)	69
Z Measurement d1	40
Z Measurement d2	20
Z Measurement d3	40
Z Measurement d3	40
Z Measurement L1	69
z1	22
Z2	23
Z3	22

### Product code

Item no EAN	7611205814403
Item no GF	761069259
Item no GTIN	07611205814403
Item no LVI	2075390
Item no RSK	1874689

### Dimensions

Item Unit Height	70
Item Unit Length	140
Item Unit Weight	0,157
Item Unit Width	100
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900190800
Packaging GTIN PL2	06414900190817
Packaging GTIN PL4	06414900190824

Packaging Height PL1	70
Packaging Height PL2	290
Packaging Height PL4	930
Packaging Length PL1	140
Packaging Length PL2	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	20
Packaging Quantity PL4	540
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00098
Packaging Volume PL2	0,03393
Packaging Volume PL4	0,8928
Packaging Weight PL1	0,165
Packaging Weight PL2	3,4
Packaging Weight PL4	113
Packaging Width PL1	100
Packaging Width PL2	300
Packaging Width PL4	800

## Technical documents

Download documents here

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com