


GF Instaflex tee reduced 90° Electro Fusion 50-32 50

1152346

- Made of Polybuten
- Electrofusion



About GF Instaflex tee reduced 90° Electro Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex tee reduced 90° Electro Fusion 50-32 50

1152346



Measurements

Inner_diameter_di	50
Length (l2)	72
Length (l3)	78
Z Measurement d1	50
Z Measurement d2	32
Z Measurement d3	50
Z Measurement d3	50
Z Measurement L1	78
z1	29
Z2	30
Z3	29

Product code

Item no EAN	7611205814434
Item no GF	761069262
Item no GTIN	07611205814434
Item no LVI	2075296
Item no RSK	1874693

Dimensions

Item Unit Height	80
Item Unit Length	160
Item Unit Weight	0,26
Item Unit Width	120
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900190718
Packaging GTIN PL2	06414900190725
Packaging GTIN PL4	06414900190732

Packaging Height PL1	80
Packaging Height PL2	210
Packaging Height PL4	970
Packaging Length PL1	160
Packaging Length PL2	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	10
Packaging Quantity PL4	360
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,001536
Packaging Volume PL2	0,02184
Packaging Volume PL4	0,9312
Packaging Weight PL1	0,263
Packaging Weight PL2	3
Packaging Weight PL4	127
Packaging Width PL1	120
Packaging Width PL2	260
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
 WD18 8GA, Watford
 UK

T +44 (0)1923 381212
 E
 customerservice.uk.bfs@georgfi
 scher.com