


GF Instaflex tee reduced 90° Electro Fusion 63-25 63

1152347

- Made of Polybuten
- Electrofusion



About GF Instaflex tee reduced 90° Electro Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex tee reduced 90° Electro Fusion 63-25 63

1152347



Measurements

Inner_diameter_di	63
Length (l2)	81
Length (l3)	86
Z Measurement d1	63
Z Measurement d2	25
Z Measurement d3	63
Z Measurement d3	63
Z Measurement L1	86
z1	36
Z2	39
Z3	36

Product code

Item no EAN	7611205814441
Item no GF	761069263
Item no GTIN	07611205814441
Item no LVI	2075297
Item no RSK	1874694

Dimensions

Item Unit Height	100
Item Unit Length	180
Item Unit Weight	0,36
Item Unit Width	130
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900190688
Packaging GTIN PL2	06414900190695
Packaging GTIN PL4	06414900190701

Packaging Height PL1	100
Packaging Height PL2	280
Packaging Height PL4	930
Packaging Length PL1	180
Packaging Length PL2	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	10
Packaging Quantity PL4	270
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00234
Packaging Volume PL2	0,03024
Packaging Volume PL4	0,8928
Packaging Weight PL1	0,365
Packaging Weight PL2	4
Packaging Weight PL4	127
Packaging Width PL1	130
Packaging Width PL2	270
Packaging Width PL4	800

Technical documents

Download documents here

Uponor UK

Blackmor Lane The Pavillion
 WD18 8GA, Watford
 UK

T +44 (0)1923 381212
 E
 customerservice.uk.bfs@georgfi
 scher.com