


## GF Instaflex tee reducer 90deg Electro Fusion 63-25 63

1152347

- Made of Polybuten
- Electrofusion



### About GF Instaflex tee reducer 90deg Electro Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex tee reducer 90deg Electro Fusion 63-25 63

1152347



### Measurements

Inner_diameter_di	63
Length (l2)	81
Length (l3)	86
Z Measurement d2	25
z1	36
Z2	39
Z3	36

### Product code

Item no EAN	7611205814441
Item no GF	761069263
Item no GTIN	07611205814441
Item no LVI	2075297
Item no RSK	1874694

### Dimensions

Item Unit Height	100
Item Unit Length	180
Item Unit Weight	0,36
Item Unit Width	130
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900190688
Packaging GTIN PL2	06414900190695
Packaging GTIN PL4	06414900190701
Packaging Height PL1	100
Packaging Height PL2	280
Packaging Height PL4	930
Packaging Length PL1	180

Packaging Length PL2	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	10
Packaging Quantity PL4	270
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00234
Packaging Volume PL2	0,03024
Packaging Volume PL4	0,8928
Packaging Weight PL1	0,365
Packaging Weight PL2	4
Packaging Weight PL4	127
Packaging Width PL1	130
Packaging Width PL2	270
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)