


GF Instaflex tee reduced 90deg Electro Fusion 63-40 63

1152348

- Made of Polybuten
- Electrofusion



About GF Instaflex tee reduced 90deg Electro Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex tee reduced 90deg Electro Fusion 63-40 63

1152348



Measurements

Inner_diameter_di	63
Length (l2)	85
Length (l3)	86
Z Measurement d2	40
z1	36
Z2	38
Z3	36

Status

Item Available From date	2025-07-01
--------------------------	------------

Product code

Item no EAN	7611205814656
Item no GF	761069264
Item no GTIN	07611205814656
Item no LVI	2075298
Item no RSK	1874695

Dimensions

Item Unit Height	94
Item Unit Length	171
Item Unit Weight	0,384
Item Unit Width	133
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900190237
Packaging GTIN PL2	06414900190244
Packaging GTIN PL4	06414900190251
Packaging Height PL1	94
Packaging Height PL2	280

Packaging Height PL4	930
Packaging Length PL1	172
Packaging Length PL2	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	10
Packaging Quantity PL4	270
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,002150344
Packaging Volume PL2	0,03024
Packaging Volume PL4	0,8928
Packaging Weight PL1	0,392
Packaging Weight PL2	4,2
Packaging Weight PL4	135
Packaging Width PL1	133
Packaging Width PL2	270
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb