


GF Instaflex adapter flange flat d50

1152388

- Suitable for flange or union nut
- PN 16 at 20°C
- * on request



About GF Instaflex adapter flange flat

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex adapter flange flat d50

1152388



Product code

Item no EAN	7611205823924
Item no GF	761069325
Item no GTIN	07611205823924
Item no LVI	2075312

Dimensions

Item Unit Height	87
Item Unit Length	69
Item Unit Weight	0,091
Item Unit Width	72
Item_UOM	pce

Measurements

LENGTH_L	58
Z Measurement d	61
Z Measurement D1	73
Z Measurement h	88

Packaging

Packaging GTIN PL1	06414900112437
Packaging Height PL1	90
Packaging Length PL1	70
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,0004725
Packaging Weight PL1	0,101
Packaging Width PL1	75

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com