


GF Instaflex flange adapter Electrofusion d63

1152389

- Suitable for flange or union nut
- PN 16 at 20°C
- * on request



About GF Instaflex flange adapter Electrofusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex flange adapter Electrofusion d63

1152389



Product code

Item no EAN	7611205820954
Item no GF	761069326
Item no GTIN	07611205820954
Item no LVI	2075313
Item no RSK	1874709

Dimensions

Item Unit Height	117
Item Unit Length	89
Item Unit Weight	0,172
Item Unit Width	94
Item_UOM	pce

Measurements

LENGTH_L	60
Z Measurement d	76
Z Measurement D1	90
Z Measurement h	93

Packaging

Packaging GTIN PL1	06414900112444
Packaging Height PL1	89
Packaging Length PL1	118
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,000987188
Packaging Weight PL1	0,182
Packaging Width PL1	94

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com