


## GF Instaflex elbow socket-spigot 90deg Electro Fusion d25

**1152421**

- PN 16 at 20°C



### About GF Instaflex elbow socket-spigot 90deg Electro Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex elbow socket-spigot 90deg Electro Fusion d25

1152421



### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 7611205814472  |
| Item no GF   | 761069436      |
| Item no GTIN | 07611205814472 |
| Item no LVI  | 2075396        |
| Item no RSK  | 1874648        |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 46    |
| Item Unit Length | 84    |
| Item Unit Weight | 0,047 |
| Item Unit Width  | 74    |
| Item_UOM         | pce   |

### Measurements

|                 |    |
|-----------------|----|
| LENGTH_L        | 58 |
| Z Measurement h | 62 |
| Z               | 16 |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414900190596 |
| Packaging GTIN PL2     | 06414900190602 |
| Packaging GTIN PL4     | 06414900190619 |
| Packaging Height PL1   | 46             |
| Packaging Height PL2   | 305            |
| Packaging Height PL4   | 800            |
| Packaging Length PL1   | 84             |
| Packaging Length PL2   | 406            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL1 | 1              |
| Packaging Quantity PL2 | 50             |

|                        |             |
|------------------------|-------------|
| Packaging Quantity PL4 | 1800        |
| Packaging Type PL1     | Plastic_Bag |
| Packaging Type PL2     | Medium_Box  |
| Packaging Type PL4     | Pallet      |
| Packaging Volume PL1   | 0,000285936 |
| Packaging Volume PL2   | 0,0383873   |
| Packaging Volume PL4   | 0,768       |
| Packaging Weight PL1   | 0,055       |
| Packaging Weight PL2   | 2,9         |
| Packaging Weight PL4   | 116,4       |
| Packaging Width PL1    | 74          |
| Packaging Width PL2    | 310         |
| Packaging Width PL4    | 800         |

## Technical documents

[Download documents here](#)

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)