

GF Instaflex elbow 45deg Electro Fusion i/o d32

1152429

- PN 16 at 20°C



About GF Instaflex elbow 45deg Electro Fusion i/o

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex elbow 45deg Electro Fusion i/o d32

1152429



Product code

Item no EAN	7611205814557
Item no GF	761069450
Item no GTIN	07611205814557
Item no LVI	2075402
Item no RSK	1874666

Dimensions

Item Unit Height	54
Item Unit Length	115
Item Unit Weight	0,055
Item Unit Width	56
Item_UOM	pce

Measurements

LENGTH_L	51
Z Measurement h	60
Z	9

Packaging

Packaging GTIN PL1	06414900190350
Packaging GTIN PL2	06414900190367
Packaging GTIN PL4	06414900190374
Packaging Height PL1	54
Packaging Height PL2	385
Packaging Height PL4	950
Packaging Length PL1	115
Packaging Length PL2	265
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	50

Packaging Quantity PL4	1350
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00034776
Packaging Volume PL2	0,0265265
Packaging Volume PL4	0,912
Packaging Weight PL1	0,067
Packaging Weight PL2	2,8
Packaging Weight PL4	103,8
Packaging Width PL1	56
Packaging Width PL2	260
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb