


## GF Instaflex reducer electro fusion Electro Fusion d32-16

1152436

- Material: Polybutene (grey)



### About GF Instaflex reducer electro fusion Electro Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex reducer electro fusion Electro Fusion d32-16

1152436



### Measurements

Inner_diameter_di	32
Z Measurement d2	16
Z Measurement h	86
Z	48

### Product code

Item no EAN	7611205813925
Item no GF	761069457
Item no GTIN	07611205813925
Item no LVI	2075403
Item no RSK	1874555

### Dimensions

Item Unit Height	90
Item Unit Length	80
Item Unit Weight	0,033
Item Unit Width	60
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900191074
Packaging GTIN PL2	06414900191081
Packaging GTIN PL4	06414900191098
Packaging Height PL1	100
Packaging Height PL2	280
Packaging Height PL4	950
Packaging Length PL1	90
Packaging Length PL2	400
Packaging Length PL4	1200
Packaging Quantity PL1	1

Packaging Quantity PL2	100
Packaging Quantity PL4	2700
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00063
Packaging Volume PL2	0,03024
Packaging Volume PL4	0,912
Packaging Weight PL1	0,038
Packaging Weight PL2	4,15
Packaging Weight PL4	124
Packaging Width PL1	70
Packaging Width PL2	270
Packaging Width PL4	800

## Technical documents

[Download documents here](#)

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)