


## GF Instaflex saddle adapter MT 63-32 1"

1152656

- Weld-in saddle transition to male thread
- Thread in DZR brass, UBA listed
- EPDM sealing hot and cold water



### About GF Instaflex saddle adapter MT

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex saddle adapter MT 63-32 1"

1152656



### Product code

Item no EAN	7611205904289
Item no GF	761069759
Item no GTIN	07611205904289
Item no LVI	2075414

### Dimensions

Item Unit Height	45
Item Unit Length	110
Item Unit Weight	0,228
Item Unit Width	45
Item_UOM	pce

### Measurements

LENGTH_L	100
Male_thread_R	1
Z Measurement d	63
Z	83

### Packaging

Packaging GTIN PL1	06414900114011
Packaging Height PL1	44
Packaging Length PL1	137
Packaging Quantity PL1	2
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,000506352
Packaging Weight PL1	0,466
Packaging Width PL1	84

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com