


## GF Instaflex saddle adapter MT 225-32 1"

1152662

- Weld-in saddle transition to male thread
- Thread in DZR brass, UBA listed
- EPDM sealing hot and cold water



### About GF Instaflex saddle adapter MT

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex saddle adapter MT 225-32 1"

1152662



### Status

Item Available From date

2025-09-05

### Product code

Item no EAN	7611205904326
Item no GF	761069765
Item no GTIN	07611205904326

### Dimensions

Item Unit Height	70
Item Unit Length	130
Item Unit Weight	0,282
Item Unit Width	70
Item_UOM	pce

### Measurements

LENGTH_L	108
Male_thread_R	1
Z Measurement d	225
Z	91

### Packaging

Packaging GTIN PL1	06414900114073
Packaging Height PL1	10
Packaging Length PL1	150
Packaging Quantity PL1	2
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,00015
Packaging Weight PL1	0,574
Packaging Width PL1	100

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com