


GF Instaflex O-ring d110

1152677

- O-ring, EPDM



About GF Instaflex O-ring

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex O-ring d110

1152677



Measurements

Inner_diameter_di	120
Z Measurement d	134
Z Measurement d1	120
Z Measurement H	7

Status

Item Available From date	2025-09-05
--------------------------	------------

Product code

Item no EAN	7611205836313
Item no GF	761070038
Item no GTIN	07611205836313

Dimensions

Item Unit Height	6
Item Unit Length	135
Item Unit Weight	0,016
Item Unit Width	135
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900253383
Packaging Height PL1	6
Packaging Length PL1	135
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,00010935
Packaging Weight PL1	0,0221675796807283
Packaging Width PL1	135

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com